Date : 14/11/2023 Page 1/10 Revision : N°6 (14/09/2023)

COLLE FIX TOUS SUPPORTS



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

>SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

> 1.1. Product identifier

Product name : COLLE FIX TOUS SUPPORTS UFI : FA50-U5ET-M502-NDDQ

1.2. Relevant identified uses of the substance or mixture and uses advised against Sealant.

1.3. Details of the supplier of the safety data sheet

Registered company name : GEB.

Address : CS 62062.95972.ROISSY CDG CEDEX . France.

Telephone : +33 1 48 17 99 99. Fax : +33 1 48 17 98 00.

geb@geb.fr

www.geb.fr

1.4. Emergency telephone number : +33 1 45 42 59 59.

Association/Organisation : INRS.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This substance does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

|> In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :	
EUH208	Contains TRIMETHOXYVINYLSILANE. May produce an allergic reaction.
EUH208	Contains DIOCTYLINBIS(ACETYLACETONATE). May produce an allergic reaction.
EUH208	Contains N-(3-(TRIMETHOXYSILYL)PROPYL)ETHYLENEDIAMINE. May produce an allergic
	reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Hazard statements :	
H412	Harmful to aquatic life with long lasting effects.
Precautionary statemen	ts - Disposal :
P501	Discard content/container according to applicable regulations.

2.3. Other hazards

The substance does not fulfil the PBT or vPvP criteria in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

> Composition :

REACH: 01-2119510159-45

3-(TRIMETHOXYSILYL)PROPYLAMINE

> Composition .				
Identification	Classification (EC) 1272/2008		Note	%
CAS: 471-34-1			[1]	25 <= x % < 50
EC: 207-439-9				
CALCIUM CARBONATE				
INDEX: 022-006-00-2	GHS08		[1]	$0 \le x \% \le 2.5$
CAS: 13463-67-7	Wng		[10]	0 1 1 /0 1 210
EC: 236-675-5	Carc. 2, H351		[10]	
10.250 075 5	Care: 2, 11551			
TITANIUM DIOXIDE [IN POWDER FORM				
CONTAINING 1 % OR MORE OF PARTICLES				
WITH AERODYNAMIC DIAMETER <= 10				
μ M]				
CAS: 2768-02-7	GHS07, GHS02			$0 \le x \% \le 2.5$
EC: 220-449-8	Wng			0 <- X /0 < 2.5
REACH: 01-2119513215-52	Flam. Liq. 3, H226			
REACH. 01-2119515215-52	Skin Sens. 1B, H317			
TDIMETHOVVVINVI SILANE				
TRIMETHOXYVINYLSILANE CAS: 13822-56-5	Acute Tox. 4, H332 GHS05			0 <= x % < 2.5
EC: 237-511-5				$0 \le x \% \le 2.3$
	Dgr			
REACH: 01-2119510159-45	Skin Irrit. 2, H315			
	Eye Dam. 1, H318			
3-(TRIMETHOXYSILYL)PROPYLAMINE CAS: 54068-28-9	CUE07 CUE09			0 <= x % < 2.5
EC: 483-270-6	GHS07, GHS08			$0 \le x \% \le 2.5$
	Wng			
REACH: 01-0000020199-67-0000	Skin Sens. 1, H317			
	STOT SE 2, H371			
DIOCTYLINBIS(ACETYLACETONATE)				0
CAS: 1760-24-3	GHS07, GHS05			0 <= x % < 2.5
EC: 217-164-6	Dgr			
REACH: 01-2119970215-39-0005	Skin Sens. 1, H317			
	Eye Dam. 1, H318			
N-(3-(TRIMETHOXYSILYL)PROPYL)ETHYL	Acute Tox. 4, H332			
ENEDIAMINE				
CAS: 52829-07-9	GHS05, GHS09			0 <= x % < 2.5
EC: 258-207-9	Dgr			
REACH: 01-2119537297-32-0000	Eye Dam. 1, H318			
	Aquatic Acute 1, H400			
BIS(2.2.6.6-TETRAMETHYL-4-PIPERIDYL)S				
EBACATE	Aquatic Chronic 1, H410			
	M Chronic = 1			
INDEX: 603-001-00-X	GHS02, GHS06, GHS08		[1]	0 <= x % < 2.5
CAS: 67-56-1	Dgr			
EC: 200-659-6	Flam. Liq. 2, H225			
REACH: 01-2119433307-44	Acute Tox. 3, H331			
	Acute Tox. 3, H311			
METHANOL	Acute Tox. 3, H301			
	STOT SE 1, H370			
> Specific concentration limits:				
Identification	Specific concentration limits	ATE		
CAS: 13822-56-5	· · · · · ·		ATE = 3 mg/k	g BW
EC: 237-511-5			8/1	
DEACU. 01 2110510150 45				

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (14/09/2023) GEB

COLLE FIX TOUS SUPPORTS

CAS: 54068-28-9	STOT SE 2 (Oral) : H371 C>= 10%	
EC: 483-270-6		
REACH: 01-0000020199-67-0000		
DIOCTYLINBIS(ACETYLACETONATE)		
INDEX: 603-001-00-X	STOT SE 1 (Cut) : H370 C>= 10%	
CAS: 67-56-1	STOT SE 2: H371 3% <= C < 10%	
EC: 200-659-6	STOT SE 1 (Oral) : H370 C>= 10%	
REACH: 01-2119433307-44	STOT SE 2: H371 3% <= C < 10%	
	STOT SE 1 (Inh) : H370 C>= 10%	
METHANOL	STOT SE 2: H371 3% <= C < 10%	

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

Note 10 : La classification en tant que cancérogène par inhalation s'applique uniquement aux mélanges sous forme de poudre contenant 1 % ou plus de dioxyde de titane qui se présente sous la forme de particules ou qui est incorporé dans des particules ayant un diamètre aérodynamique = $10 \,\mu$ m

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the substance is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the substance is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

|> Occupational exposure limits :

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :						
CAS	VME-mg/m3:	VME-ppm :	VLE-mg/m3:	VLE-ppm :	Notes :]
67-56-1	260	200	-	-	Peau]
- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :						
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :]
471-34-1	10 mg/m3	-	-	-	-	
13463-67-7	10 mg/m3			A4		
67-56-1	200 ppm	250 ppm		Skin; BEI		
- Germany - AGW (BAuA - TRGS 900, 02/2022) :						
CAS	VME :	VME :	Excess	Notes]	
67-56-1		200 ppm		4(II)		
		270 mg/m3				
- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :						
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
471-34-1	-	10	-	-	-	-
13463-67-7	-	10	-	-	-	-
67-56-1	200	260	1000	1300	(12)	84
- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :						
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :]
471-34-1	10 mg/m3	-	-	-	TI	
13463-67-7	4 mg/m3]
67-56-1	200 ppm	250 ppm		Sk		

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

266 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

333 mg/m3

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVA (Polyvinyl alcohol)

|> - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

>SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES				
9.1. Information on basic physical and chemical properties				
	Physical state Physical state :	Viscous liquid.		
	Colour Unspecified			
	Odour Odour threshold :	Not stated.		
>	Freezing point Freezing point / Freezing range :	Not stated.		
>	Boiling point or initial boiling point and boiling Boiling point/boiling range :	range Not relevant.		
	Flammability Flammability (solid, gas) :	Not stated.		
	Lower and upper explosion limit Explosive properties, lower explosivity limit (%))Not stated.		
	: Explosive properties, upper explosivity limit (%))Not stated.		
>	Flash point Flash point interval :	Not relevant.		
	Auto-ignition temperature Self-ignition temperature :	Not relevant.		
	Decomposition temperature Decomposition point/decomposition range :	Not relevant.		
	pH pH (aqueous solution) : pH :	Not stated. Not relevant.		
>	Kinematic viscosity Viscosity :	Not stated.		
>	Solubility Water solubility : Fat solubility :	Insoluble. Not stated.		
>	Partition coefficient n-octanol/water (log value) Partition coefficient: n-octanol/water :	Not stated.		
	Vapour pressure Vapour pressure (50°C) :	Not relevant.		
>	Density and/or relative density Density :	> 1		
	Relative vapour density Vapour density :	Not stated.		
	9.2. Other information No data available.			
	9.2.1. Information with regard to physical haza No data available.	rd classes		
	9.2.2. Other safety characteristics No data available.			
>	Formation of explosible dust/air mixtures Characteristic of dust particles :			

Maximum pressure generated by the explosion : Deflagration index (Kst) : Minimum ignition energy : MEC/LEL:

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This substance is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the substance can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Exposure to vapours from this solvent in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Repeated or prolonged contact with the substance may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

> Acute toxicity :

TRIMETHOXYVINYLSILANE (CAS: 2768-02-7) Inhalation route (Vapours) : L

LC50 16.8 mg/m3 Duration of exposure : 4 h

3-(TRIMETHOXYSILYL)PROPYLAMINE (CAS: 13822-56-5) Oral route : LD50 = 3 mg/kg bo

LD50 = 3 mg/kg bodyweight/day Species : Rat

11.2. Information on other hazards

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 13463-67-7 : IARC Group 2B : The agent is possibly carcinogenic to humans.

SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the substance and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

-

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

|>SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

|> Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

No data available.

|> Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

Substance not restricted under Annex XVII of Regulation (EC) no. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

|> Explosives precursors :

The substance is not subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the substance and not as a guarantee of the properties thereof.

> Wording of the phrases mentioned in section 3 :

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H351	Suspected of causing cancer .
H370	Causes damage to organs .
H371	May cause damage to organs .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

|> Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.

> Modification compared to the previous version