SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (18/03/2022) GEB

EXTHANE COLLE&JOINT BLANC



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : EXTHANE COLLE&JOINT BLANC

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : GEB.

Address : CS 62062.95972.ROISSY CDG CEDEX . France.

Telephone : +33 1 48 17 99 99. Fax : +33 1 48 17 98 00.

geb@geb.fr

www.geb.fr

|>

1.4. Emergency telephone number : +33 1 45 42 59 59.

Association/Organisation : INRS.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

|> In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :

EUH208	Contains REACTION MASS OF BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL) SEBACATE AND METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL SEBACATE. May produce an allergic reaction.
EUH204	Contains isocyanates. May produce an allergic reaction.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.
Precautionary statemer	nts - General :
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

|> 2.3. Other hazards

In the event of dust formed by mechanical action (sanding, sawing, etc..), this dust may cause irritation by inhalation and contact with eyes.

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

|>SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

> Composition :

Identification	Classification (EC) 1272/2008	Note	%
EC: 905-588-0	GHS07, GHS08, GHS02	1000	2.5 <= x % < 10
REACH: 01-2119488216-32	Dgr		2.3 < X / 0 < 10
KE/KEII. 01-2119400210-52	Flam. Liq. 3, H226		
REACTION MASS OF ETHYLBENZENE	Asp. Tox. 1, H304		
AND XYLENE	Acute Tox. 4, H312		
AND AT LENE	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
	Acute Tox. 4, H332		
	STOT SE 3, H335		
	STOT RE 2, H373		
	Aquatic Chronic 3, H412		
INDEX: 022-006-00-2	GHS08	[i]	2.5 <= x % < 10
CAS: 13463-67-7	Wng	[10]	2.5 < 1 /0 < 10
EC: 236-675-5	Carc. 2, H351		
10. 200 010 0	Care: 2, 1100 1		
TITANIUM DIOXIDE [IN POWDER FORM			
CONTAINING 1 % OR MORE OF PARTICLES			
WITH AERODYNAMIC DIAMETER <= 10			
μΜ]			
CAS: 1065336-91-5	GHS09, GHS07		$0 \le x \% \le 2.5$
EC: 915-687-0	Wng		
REACH: 01-2119491304-40	Skin Sens. 1A, H317		
	Aquatic Acute 1, H400		
REACTION MASS OF	MAcute = 1		
BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL)	Aquatic Chronic 1, H410		
SEBACATE AND METHYL	M Chronic = 1		
1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL			
SEBACATE			
INDEX: 615-005-00-9	GHS08, GHS07	С	0 <= x % < 2.5
CAS: 101-68-8	Dgr	[i]	
EC: 202-966-0	Carc. 2, H351	[ii]	
REACH: 01-2119457014-47-XXXX	Acute Tox. 4, H332		
	STOT RE 2, H373		
4,4'-METHYLENEDIPHENYL	Eye Irrit. 2, H319		
DIISOCYANATE	STOT SE 3, H335		
	Skin Irrit. 2, H315		
	Resp. Sens. 1, H334		
	Skin Sens. 1, H317		
INDEX: 615-006-00-4	GHS06, GHS08	[i]	0 <= x % < 2.5
CAS: 26471-62-5	Dgr	[ii]	
EC: 247-722-4	Carc. 2, H351		
REACH: 01-2119454791-34-XXXX	Acute Tox. 2, H330		
M TOLVI IDENE DUGOCVANATE	Eye Irrit. 2, H319		
M-TOLYLIDENE DIISOCYANATE	STOT SE 3, H335		
	Skin Irrit. 2, H315		
	Resp. Sens. 1, H334		
	Skin Sens. 1, H317 Aquatic Chronic 3, H412		
	Aquate C1101110 5, 11412		

|> Specific concentration limits:

Identification	Specific concentration limits	ATE
INDEX: 615-005-00-9	Resp. Sens. 1: H334 C>= 0.1%	
CAS: 101-68-8	Skin Irrit. 2: H315 >=5%	
EC: 202-966-0	Eye Irrit. 2: H319 C>= 5%	
REACH: 01-2119457014-47-XXXX		
4,4'-METHYLENEDIPHENYL		
DIISOCYANATE		
INDEX: 615-006-00-4	Resp. Sens. 1: H334 C>= 0.1%	
CAS: 26471-62-5		
EC: 247-722-4		
REACH: 01-2119454791-34-XXXX		
M-TOLYLIDENE DIISOCYANATE		

> Information on ingredients :

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

[ii] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter $\leq 10 \,\mu$ m.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

|> In the event of exposure by inhalation :

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor. In the event of an allergic reaction, seek medical attention.

> In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

|> In the event of splashes or contact with skin :

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

|> In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder

- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

|> 6.3. Methods and material for containment and cleaning up

Contaminated areas must be cleaned very quickly.

A possible decontaminant for flammable products may be : (expressed by volume) water (45 parts), ethanol or isopropanol (50 parts), concentrated ammonia (d-0.880) (5 parts). For non-flammable products: sodium carbonate (5 parts), water (95 parts).

This residue must be stored for disposal in compliance with current regulations (see section 13).

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

|> 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

|> Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

|> Occupational exposure limits :

ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

TWA :	STEL :	Ceiling :	Definition :	Criteria :	
10 mg/m3			A4		
0.005 ppm]
0.005 ppm	0.02 ppm	-	-	-	
- Germany - AGW (BAuA - TRGS 900, 02/2022) :					
VME :	VME :	Excess	Notes]	
	0.05 E mg/m3		1;=2=(I)	1	
itils 65 / 2021-1	849, 2021-1763	, decree of 09/1		-	
VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
	10				
0.01	0.1	0.02	0.2		62
0.01	0.08	0.02	0.16		62
- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :					
nuce enposare r		se, i ourur Burn			
TWA :	STEL :	Ceiling :	Definition :	Criteria :]
· ·				Criteria :	
TWA :				Criteria : -	
	10 mg/m3 0.005 ppm 0.005 ppm BAuA - TRGS VME : ttils 65 / 2021-1 VME-ppm : 0.01 0.01	10 mg/m3 0.005 ppm 0.005 ppm 0.005 ppm 0.02 ppm BAuA - TRGS 900, 02/2022) : VME : VME : 0.05 E mg/m3 ttils 65 / 2021-1849, 2021-1763 VME-ppm : VME-mg/m3 : 10 0.01 0.1 0.01 0.08	10 mg/m3	10 mg/m3 A4 0.005 ppm 0.02 ppm - 0.005 ppm 0.02 ppm - BAuA - TRGS 900, 02/2022) : - - WME : VME : Excess Notes 0.05 E mg/m3 1;=2=(I) . ttils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) : . VME-ppm : VME-mg/m3 : VLE-ppm : 10 . . 0.01 0.1 0.02 0.2 0.01 0.08 0.02 0.16	$\begin{array}{c c c c c c c c c c c c c c c c c c c $

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

|> - Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard ISO 16321.

|> - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- PVA (Polyvinyl alcohol)

Recommended properties :

- Antistatic gloves in accordance with standard EN16350

- Body protection	
Suitable type of protective clothing :	
Wear antistatic clothing made from heat resis	stant natural or synthetic fibres in accordance with standard EN1149.
Work clothing worn by personnel shall be lat	undered regularly.
	e body that have been soiled must be washed.
> - Respiratory protection	-
Avoid inhaling dust.	
Type of FFP mask :	
Wear a disposable half-mask dust filter in acc	cordance with standard EN149/A1.
•	
SECTION 9 : PHYSICAL AND CHEMICAL 9.1. Information on basic physical and chem	
	ical properties
Physical state Physical state :	Paste.
> Colour	
Unspecified	
> Odour	
Odour threshold :	Not stated.
> Freezing point	
Freezing point / Freezing range :	Not stated.
> Boiling point or initial boiling point and boil	5 0
Boiling point/boiling range :	Not relevant.
> Flammability	
Flammability (solid, gas) :	Not stated.
> Lower and upper explosion limit Explosive properties, lower explosivity limit	(%)Not stated.
: Explosive properties, upper explosivity limit	(%)Not stated.
: Electrosist	
> Flash point Flash point interval :	Not relevant.
 > Auto-ignition temperature 	Tot folovant.
Self-ignition temperature :	Not relevant.
> Decomposition temperature	
Decomposition point/decomposition range :	Not relevant.
> pH	
pH (aqueous solution) :	Not stated.
pH :	Not relevant.
> Kinematic viscosity	
Viscosity :	Not stated.
> Solubility	Inlable
Water solubility : Fat solubility :	Insoluble. Not stated.
 Partition coefficient n-octanol/water (log val 	
Partition coefficient: n-octanol/water (log val	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	>1

> Relative vapour density Vapour density :	Not stated.
9.2. Other information	
VOC (g/l) :	71.6
% VOC :	5.82

|> 9.2.1. Information with regard to physical hazard classes No data available.

> 9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

Keep away from oxidising agents and strongly acidic or basic materials to avoid exothermic reactions.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

The mixture can also release hydrogen cyanide, amines and alcohols.

|> 10.4. Conditions to avoid

Avoid :

- formation of dusts

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

|>SECTION 11 : TOXICOLOGICAL INFORMATION

|> 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Splashes in the eyes may cause irritation and reversible damage

In the event of dust formed by mechanical action (sanding, sawing, etc..), this dust may cause irritation by inhalation and contact with eyes.

Based on isocyanate properties and considering the toxicological data of similar mixtures, this preparation may cause irritations and/or sensitisations of the respiratory system.

It may therefore bring about asthma, respiratory difficulties and angina pectoris.

Those susceptible may display asthmatic symptoms when exposed to atmospheres with an isocyanate concentration well below those of the VLE : exposure limits.

Repeated exposure may cause permanent respiratory problems.

11.1.1. Substances

No toxicological data available for the substances.

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction. Contains isocyanates. May cause an allergic reaction.

11.2. Information on other hazards

|> Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 101-68-8 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans. CAS 13463-67-7 : IARC Group 2B : The agent is possibly carcinogenic to humans.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

-

14.6. Special precautions for user

-

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

> Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

Container information:

No data available.

Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

|>SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

|> Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer .
H373	May cause damage to organs through prolonged or repeated exposure .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

|> Abbreviations and acronyms :

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

CMR: Carcinogenic, mutagenic or reprotoxic.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

- TMP : French Occupational Illness table
- TLV : Threshold Limit Value (exposure)
- AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

- IATA : International Air Transport Association.
- ICAO : International Civil Aviation Organisation
- RID : Regulations concerning the International carriage of Dangerous goods by rail.
- WGK: Wassergefahrdungsklasse (Water Hazard Class).
- PBT: Persistent, bioaccumulable and toxic.
- vPvB : Very persistent, very bioaccumulable.
- SVHC : Substances of very high concern.
- > Modification compared to the previous version