# GEBETANCHE PLOMBERIE PLUS

Date: 26/06/2024 Page 1/10 Revision: N°5 (26/06/2024)



## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

#### >SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### |> 1.1. Product identifier

Product name: GEBETANCHE PLOMBERIE PLUS

UFI: M4EW-42MH-H60P-6HD3

#### > 1.2. Relevant identified uses of the substance or mixture and uses advised against

anaerobic resin

## 1.3. Details of the supplier of the safety data sheet

Registered company name: GEB.

Address: CS 62062.95972.ROISSY CDG CEDEX . France. Telephone: +33 1 48 17 99 99. Fax: +33 1 48 17 98 00.

geb@geb.fr www.geb.fr

#### 1.4. Emergency telephone number: +33 1 45 42 59 59.

Association/Organisation: INRS.

#### |>SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

## $\mid>$ In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word:

WARNING

Product identifiers:

607-124-00-X 2-HYDROXYETHYL METHACRYLATE EC 200-915-7 TERT-BUTYL HYDROPEROXIDE

Additional labeling:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

 $Hazard\ statements:$ 

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

# GEBETANCHE PLOMBERIE PLUS

Date: 26/06/2024 Page 2/10

Revision: N°5 (26/06/2024)

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Precautionary statements - Disposal:

P501 Dispose of contents/container in accordance with local reglementation

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

#### >SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### > Composition:

> Composition:			
Identification	Classification (EC) 1272/2008	Note	%
INDEX: 607-124-00-X	GHS07		10 <= x % < 25
CAS: 868-77-9	Wng		
EC: 212-782-2	Eye Irrit. 2, H319		
REACH: 01-2119490169-29	Skin Irrit. 2, H315		
	Skin Sens. 1, H317		
2-HYDROXYETHYL METHACRYLATE			
CAS: 75-91-2	GHS06, GHS05, GHS09, GHS08, GHS02	[ii]	$0 \le x \% < 2.5$
EC: 200-915-7	Dgr		
REACH: 01-2119446670-40	Flam. Liq. 3, H226		
	Org. Perox. F, H242		
TERT-BUTYL HYDROPEROXIDE	Acute Tox. 4, H302		
	Acute Tox. 3, H311		
	Skin Corr. 1, H314		
	Skin Sens. 1, H317		
	Eye Dam. 1, H318		
	Acute Tox. 3, H331		
	STOT SE 3, H335		
	Muta. 2, H341		
	Carc. 2, H351		
	Aguatic Chronic 2, H411		

#### **Specific concentration limits:**

Specific concentration immedi		
Identification	Specific concentration limits	ATE
CAS: 75-91-2		inhalation: ATE = 1845 mg/l
EC: 200-915-7		(gas)
REACH: 01-2119446670-40		dermal: ATE = 628 mg/kg BW
		oral: ATE = 560 mg/kg BW
TERT-BUTYL HYDROPEROXIDE		

#### **Information on ingredients:**

(Full text of H-phrases: see section 16)

[ii] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

Revision : N°5 (26/06/2024)

Date: 26/06/2024 Page 3/10

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

#### 4.1. description of first aid measures

#### In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

#### In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

GEBETANCHE PLOMBERIE PLUS

#### In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### |>SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

#### 5.1. Extinguishing media

No data available.

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

## |> 5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For non first aid worker

Avoid any contact with the skin and eyes.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Revision: N°5 (26/06/2024)

Date: 26/06/2024 Page 4/10

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

## | > SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

GEBETANCHE PLOMBERIE PLUS

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

#### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

#### |> Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

## >SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### |> 8.1. Control parameters

No data available.

#### Derived no effect level (DNEL) or derived minimum effect level (DMEL):

2-HYDROXYETHYL METHACRYLATE (CAS: 868-77-9)

**Final use:**Exposure method:
Workers.
Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 1.3 mg/kg body weight/day

Exposure method: n of the substance or mixture

Potential health effects: Long term systemic effects.

DNEL: 4.9 mg of substance/m3

#### Predicted no effect concentration (PNEC):

2-HYDROXYETHYL METHACRYLATE (CAS: 868-77-9)

Environmental compartment: Soil. PNEC: 0.476 mg/kg

Environmental compartment: Fresh water. PNEC: 3.79 mg/kg

Environmental compartment: Waste water treatment plant.

## GEBETANCHE PLOMBERIE PLUS

Date: 26/06/2024 Page 5/10

Revision: N°5 (26/06/2024)

PNEC: 10 mg/l

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

#### |> - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Recommended properties:

N/A

#### |> - Body protection

Avoid skin contact.

Wear suitable protective clothing.

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## |>SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical state

Physical state: Viscous liquid.

Colour

Unspecified

Odour

Odour threshold: Not stated.

|> Freezing point

Freezing point / Freezing range: Not stated.

|> Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not relevant.

**Flammability** 

Flammability (solid, gas): Not stated.

## GEBETANCHE PLOMBERIE PLUS

Date: 26/06/2024 Page 6/10

Revision: N°5 (26/06/2024)

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

Explosive properties, upper explosivity limit (%) Not stated.

:

|> Flash point

Flash point interval: Not relevant.

**Auto-ignition temperature** 

Self-ignition temperature : Not relevant.

**Decomposition temperature** 

Decomposition point/decomposition range: Not relevant.

рH

pH (aqueous solution): Not stated. pH: Not relevant.

|> Kinematic viscosity

Viscosity: Not stated.

|> Solubility

Water solubility: Insoluble. Fat solubility: Not stated.

|> Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

|> Density and/or relative density

Density: >1

Relative vapour density

Vapour density: Not stated.

|> Particle characteristics

The mixture does not contain nanoforms.

#### 9.2. Other information

No data available.

#### 9.2.1. Information with regard to physical hazard classes

No data available.

#### 9.2.2. Other safety characteristics

No data available.

#### **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

No data available.

## 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)

## GEBETANCHE PLOMBERIE PLUS

- carbon dioxide (CO2)

#### | > SECTION 11 : TOXICOLOGICAL INFORMATION

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

May cause an allergic reaction by skin contact.

Based on the properties of the epoxy constituent(s) and considering toxicological data on similar preparations, this preparation may be a skin sensitiser and a respiratory tract sensitiser as well as an irritant.

Constituents with a low molecular weight irritate the eyes, mucous membranes and the skin

Repeated contact with the skin may cause irritation and hypersensitisation, possibly in combination with other epoxide compounds.

#### 11.1.1. Substances

## Acute toxicity:

TERT-BUTYL HYDROPEROXIDE (CAS: 75-91-2)

Oral route: LD50 = 560 mg/kg bodyweight/day

Species: Rat

Dermal route : LD50 = 628 mg/kg bodyweight/day

Species: Rabbit

Inhalation route (Gas): LC50 = 1845 mg/m3

Species: Rat

#### Germ cell mutagenicity:

TERT-BUTYL HYDROPEROXIDE (CAS: 75-91-2)

Cause for concern owing to the possibility that it may induce heritable mutations in the germ cells of humans.

Date: 26/06/2024 Page 7/10

Revision: N°5 (26/06/2024)

#### 11.1.2. Mixture

#### Respiratory or skin sensitisation:

Contains epoxy compounds. May cause an allergic reaction.

## 11.2. Information on other hazards

## |> Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

## $Monograph(s) \ from \ the \ IARC \ (International \ Agency \ for \ Research \ on \ Cancer):$

CAS 91-22-5 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 81-07-2: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 9002-84-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

## |>SECTION 12 : ECOLOGICAL INFORMATION

## 12.1. Toxicity

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

Revision: N°5 (26/06/2024)

Date: 26/06/2024 Page 8/10

## 12.5. Results of PBT and vPvB assessment

No data available.

#### > 12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

#### 12.7. Other adverse effects

No data available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

GEBETANCHE PLOMBERIE PLUS

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

#### 14.1. UN number or ID number

## 14.2. UN proper shipping name

## 14.3. Transport hazard class(es)

## 14.4. Packing group

## 14.5. Environmental hazards

## 14.6. Special precautions for user

#### 14.7. Maritime transport in bulk according to IMO instruments

## | > SECTION 15 : REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## > Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/197. (ATP 21)

#### **Container information:**

No data available.

#### Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Version: N°1 (26/06/2024)

**GEB** 

Revision : N°5 (26/06/2024)

Date: 26/06/2024 Page 9/10

## **Explosives precursors:**

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

GEBETANCHE PLOMBERIE PLUS

## Particular provisions:

No data available.

#### 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects .
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration CMR: Carcinogenic, mutagenic or reprotoxic.

UFI: Unique formulation identifier. STEL: Short-term exposure limit TWA: Time Weighted Averages

TMP : French Occupational Illness table TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version : N°1 (26/06/2024)

GEB

n° 1907/2006 - REACH) Date : 26/06/2024 Page 10/10 Revision : N°5 (26/06/2024)

## GEBETANCHE PLOMBERIE PLUS

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07: Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.

|> Modification compared to the previous version