

|>

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : GEBOIL

1.2. Relevant identified uses of the substance or mixture and uses advised against Sealing paste

1.3. Details of the supplier of the safety data sheet

Registered company name : GEB. Address : CS 62062.95972.ROISSY CDG CEDEX . France. Telephone : +33 1 48 17 99 99. Fax : +33 1 48 17 98 00. geb@geb.fr www.geb.fr

1.4. Emergency telephone number : +33 1 45 42 59 59.

Association/Organisation : INRS.

|>SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

|> In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

|> 2.2. Label elements

Contains a biocide (preservative) 1,2-BENZISOTHIAZOL-3(2H)-ONE 613-088-00-6 2-METHYLISOTHIAZOL-3(2H)-ONE 613-326-00-9

|> In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



```
GHS07
Signal Word :
WARNING
Product identifiers :
613-326-00-9
                       2-METHYLISOTHIAZOL-3(2H)-ONE
613-088-00-6
                       1,2-BENZISOTHIAZOL-3(2H)-ONE
Hazard statements :
H317
                                            May cause an allergic skin reaction.
Precautionary statements - General :
P101
                                            If medical advice is needed, have product container or label at hand.
P102
                                            Keep out of reach of children.
Precautionary statements - Prevention :
P261
                                            Avoid breathing dust/fume/gas/mist/vapours/spray.
P280
                                            Wear protective gloves/eye protection/face protection.
```

Precautionary statements - Response :

P302 + P352 Precautionary statements - Disposal : P501 IF ON SKIN: Wash with plenty of water and soap.

Discard content/container according to applicable regulations.

|> 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures > Composition :

Identification	Classification (EC) 1272/2008	Note	%
CAS: 1332-58-7	Classification (EC) 1272/2008	[i]	10 <= x % < 25
EC: 310-194-1			10 < -x 70 < 23
EC. 510-194-1			
KAOLIN			
CAS: 7782-42-5		[i]	10 <= x % < 25
EC: 231-955-3			
REACH: 01-2119486977-12-0018			
GRAPHITE			
INDEX: 613-326-00-9	GHS06, GHS05, GHS09	[i]	0 <= x % < 2.5
CAS: 2682-20-4	Dgr		
EC: 220-239-6	Acute Tox. 3, H301		
	Acute Tox. 3, H311		
2-METHYLISOTHIAZOL-3(2H)-ONE	Skin Corr. 1B, H314		
	Skin Sens. 1A, H317		
	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
	Acute Tox. 3, H301		
	Acute Tox. 3, H311		
	Skin Corr. 1B, H314		
	Skin Sens. 1A, H317		
	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
	071		
INDEX: 613-088-00-6	GHS05, GHS07, GHS09	[i]	0 <= x % < 2.5
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
	Skin Irrit. 2, H315		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Eye Dam. 1, H318		
	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	MAcute = 1		

|> Specific concentration limits:

Identification	Specific concentration limits	ATE
INDEX: 613-326-00-9	Skin Sens. 1A: H317 C>= 0.0015%	
CAS: 2682-20-4		
EC: 220-239-6		
2-METHYLISOTHIAZOL-3(2H)-ONE		
INDEX: 613-088-00-6	Skin Sens. 1: H317 C>= 0.05%	
CAS: 2634-33-5		
EC: 220-120-9		
1,2-BENZISOTHIAZOL-3(2H)-ONE		

Information on ingredients :

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

|>SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

|> In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

|> In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

No data available.

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

|> For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

|> Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
1332-58-7	2 (E.R) mg/m3			A4		
7782-42-5	2 (R) mg/m3					
- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :						
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
1332-58-7		10				25

7782-42-5	2				25
LIK / WFL (Workplace exposure limits EH40/2005 Fourth Edition 2020)					

- OK / WEE (Workplace exposure mints, E1140/2005, Fourth Edition 2020).					
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
1332-58-7	2 mg/m3				

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

|> - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :

N/A

|> - Body protection

Avoid skin contact.

Wear suitable protective clothing.

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

	Physical state Physical state :	Viscous liquid.
>	Colour Unspecified	
>	Odour Odour threshold :	Not stated.
>	Freezing point Freezing point / Freezing range :	Not stated.
>	Boiling point or initial boiling point and boiling Boiling point/boiling range :	range Not relevant.
>	Flammability Flammability (solid, gas) :	Not stated.

> Lower and upper explosion limit Explosive properties, lower explosivity limit (%) Not stated.				
Explosive properties, upper explosivity limit (:	%)Not stated.			
Flash point Flash Point Interval :	FP > 100°C.			
<pre>> Auto-ignition temperature Self-ignition temperature :</pre>	Not relevant.			
> Decomposition temperature Decomposition point/decomposition range :	Not relevant.			
<pre> > pH pH (aqueous solution) : pH :</pre>	Not stated. Not relevant.			
<pre>> Kinematic viscosity Viscosity :</pre>	Not stated.			
> Solubility Water solubility : Fat solubility :	Insoluble. Not stated.			
<pre>> Partition coefficient n-octanol/water (log valu Partition coefficient: n-octanol/water :</pre>	e) Not stated.			
Vapour pressure Vapour pressure (50°C) :	Not relevant.			
Density and/or relative density Density :	1.75			
> Relative vapour density Vapour density :	Not stated.			
9.2. Other information VOC (g/l) :	4			
> 9.2.1. Information with regard to physical hazard classes No data available.				
> 9.2.2. Other safety characteristics No data available.				
SECTION 10 : STABILITY AND REACTIVIT	Y			
10.1. Reactivity				
No data available.				
10.2. Chemical stability This mixture is stable under the recommended handling and storage conditions in section 7.				
10.3. Possibility of hazardous reactions				
No data available.				
10.4. Conditions to avoid				
Avoid :				
- frost				
10.5. Incompatible materials No data available.				
10.6. Hazardous decomposition products				
The thermal decomposition may release/form :				
- carbon monoxide (CO)				
- carbon dioxide (CO2)				

_

SECTION 11 : TOXICOLOGICAL INFORMATION |> 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 May cause an allergic reaction by skin contact. 11.1.1. Substances Acute toxicity : GRAPHITE (CAS: 7782-42-5) Oral route : LD50 > 2000 mg/kg bodyweight/daySpecies : Rat OECD Guideline 423 (Acute Oral toxicityAcute Toxic Class Method) LC50 > 2000 mg/m3 Inhalation route (Dusts/mist) : Species : Rat OECD Guideline 403 (Acute Inhalation Toxicity) Germ cell mutagenicity : GRAPHITE (CAS: 7782-42-5) No mutagenic effect. Mutagenesis (in vitro) : Negative. Species : Mammalian Cell Line OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) **Carcinogenicity :** GRAPHITE (CAS: 7782-42-5) Carcinogenicity Test : Negative. No carcinogenic effect. Species : Human **Reproductive toxicant :**

GRAPHITE (CAS: 7782-42-5) No toxic effect for reproduction

Specific target organ systemic toxicity - repeated exposure :

GRAPHITE (CAS: 7782-42-5)

Species : Rat OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

OECD Guideline 412 (Repeated Dose Inhalation Toxicity: 28/14-Day)

|> 11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

|> Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 14808-60-7 : IARC Group 1 : The agent is carcinogenic to humans.

CAS 100-41-4 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 1330-20-7 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

GRAPHITE (CAS: 7782-42-5)

Fish toxicity :

Crustacean toxicity :

Date : 13/11/2024 Page 8/10 Revision : N°2 (05/10/2021)

GEBOIL

$ECr50 > 100 \ mg/l$ Algae toxicity : Duration of exposure : 72 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. GRAPHITE (CAS: 7782-42-5) Biodegradability : quickly. 12.3. Bioaccumulative potential No data available. 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB assessment No data available. 12.6. Endocrine disrupting properties No data available. 12.7. Other adverse effects No data available. SECTION 13 : DISPOSAL CONSIDERATIONS Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC. 13.1. Waste treatment methods Do not pour into drains or waterways. Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

LC50 > 100 mg/l Duration of exposure : 96 h OECD Guideline 203 (Fish, Acute Toxicity Test)

EC50 > 100 mg/lDuration of exposure : 48 h OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

OECD Guideline 201 (Alga, Growth Inhibition Test)

12.1. Toxicity 12.1.1. Substances

12.2. Persistence and degradability

12.2.1. Substances

no degradability data is available, the substance is considered as not degrading

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling. 14.1. UN number or ID number -14.2. UN proper shipping name -14.3. Transport hazard class(es)

14.4. Packing group

14.4. I acking group

14.5. Environmental hazards

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

> Classification and labelling information included in section 2:

- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/1182 (ATP 15)

|> Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

|> Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.

	H410	Very toxic to aquatic life with long lasting effects.			
	EUH071	Corrosive to the respiratory tract.			
>	> Abbreviations and acronyms :				
	LD50 : The dose of a test substance resulting in 50% lethality in a given time period.				
	LC50 : The concentration of a test substance r	esulting in 50% lethality in a given period.			
	EC50 : The effective concentration of substance that causes 50% of the maximum response.				
	ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.				
	REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.				
	STEL : Short-term exposure limit				
	TWA : Time Weighted Averages				
	TMP : French Occupational Illness table				
	TLV : Threshold Limit Value (exposure)				
	AEV : Average Exposure Value.				
	ADR : European agreement concerning the int	rernational carriage of dangerous goods by Road.			
	IMDG : International Maritime Dangerous Go	ods.			
	IATA : International Air Transport Associatio	n.			
	ICAO : International Civil Aviation Organisat	ion			
	RID : Regulations concerning the International	l carriage of Dangerous goods by rail.			
	WGK : Wassergefahrdungsklasse (Water Haza	ard Class).			
	GHS07 : Exclamation mark				
	PBT: Persistent, bioaccumulable and toxic.				
	vPvB : Very persistent, very bioaccumulable.				
	SVHC : Substances of very high concern.				
	> Modification compared to the previous vers	ion			