# SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (05/02/2024) GEB

## GEBSOMOUSSE PLUS AE



## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : GEBSOMOUSSE PLUS AE UFI : KP2N-4A3S-X20X-W617

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Polyurethane foam for filling

### **1.3.** Details of the supplier of the safety data sheet

Registered company name : GEB.

Address : CS 62062.95972.ROISSY CDG CEDEX . France.

Telephone : +33 1 48 17 99 99. Fax : +33 1 48 17 98 00.

geb@geb.fr

www.geb.fr

#### 1.4. Emergency telephone number : +33 1 45 42 59 59.

Association/Organisation : INRS.

## **SECTION 2 : HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Aerosol, Category 1 (Aerosol 1, H222 - H229).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

The propellant gas is taken into account when determining the health and environmental classification of the mixture.

## 2.2. Label elements

Mixture for aerosol application.

#### |> In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



• • • • • • • • • • • • • • • • • • •	
GHS02	
Signal Word :	
DANGER	
Additional labeling :	
EUH204	Contains isocyanates. May produce an allergic reaction.
Hazard statements :	
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
Precautionary statements - General :	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statements - Prevention :	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
Precautionary statements - Storage :	

P410 + P412

Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

## 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## **SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.2. Mixtures

> Composition :			
Identification	Classification (EC) 1272/2008	Note	%
INDEX: 603-019-00-8	GHS02, GHS04	[i]	10 <= x % < 25
CAS: 115-10-6	Dgr	[vii]	
EC: 204-065-8	Flam. Gas 1A, H220		
REACH: 01-2119472128-37-XXXX			
DIMETHYL ETHER			
CAS: 75-28-5	GHS02	[i]	2.5 <= x % < 10
REACH: 01-2119485395-27-XXXX	Dgr	[vii]	
	Flam. Gas 1A, H220		
ISOBUTANE	Press. Gas, H280		
INDEX: 601-003-00-5	GHS02, GHS04	[i]	2.5 <= x % < 10
CAS: 74-98-6	Dgr	[vii]	
EC: 200-827-9	Flam. Gas 1A, H220		
REACH: 01-2119486944-21-XXXX			
PROPANE			
CAS: 6425-39-4	GHS07		0 <= x % < 2.5
REACH: 01-2119969278-20-XXXX	Wng		
	Skin Irrit. 2, H315		
2,2-DIMORPHOLINODIETHYLETHER	Eye Irrit. 2, H319		
INDEX: 615-006-00-4	GHS06, GHS08	[i]	0 <= x % < 2.5
CAS: 26471-62-5	Dgr	[ii]	
EC: 247-722-4	Carc. 2, H351		
REACH: 01-2119454791-34-XXXX	Acute Tox. 2, H330		
	Eye Irrit. 2, H319		
M-TOLYLIDENE DIISOCYANATE	STOT SE 3, H335		
	Skin Irrit. 2, H315		
	Resp. Sens. 1, H334		
	Skin Sens. 1, H317		
	Aquatic Chronic 3, H412		

Specific concentration limits:			
Identification	Specific concentration limits	ATE	
INDEX: 615-006-00-4	Resp. Sens. 1: H334 C>= 0.1%		
CAS: 26471-62-5			
EC: 247-722-4			
REACH: 01-2119454791-34-XXXX			
M-TOLYLIDENE DIISOCYANATE			

## Information on ingredients :

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

[ii] Carcinogenic, mutagenic or reprotoxic (CMR) substance.[vii] Propellant gas

#### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. description of first aid measures

#### In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

#### In the event of swallowing :

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5 : FIREFIGHTING MEASURES**

## Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

## 5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

#### Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

#### Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

Contaminated areas must be cleaned very quickly.

A possible decontaminant for flammable products may be : (expressed by volume) water (45 parts), ethanol or isopropanol (50 parts), concentrated ammonia (d-0.880) (5 parts). For non-flammable products: sodium carbonate (5 parts), water (95 parts).

This residue must be stored for disposal in compliance with current regulations (see section 13).

## 6.4. Reference to other sections

No data available.

## **SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Ensure that there is adequate ventilation, especially in confined areas.

#### Fire prevention :

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Do not spray on a naked flame or any incandescent material.

Do not pierce or burn, even after use.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

#### **Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not breathe in aerosols.

Packages which have been opened must be reclosed carefully and stored in an upright position.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

#### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (05/02/2024) GEB

#### GEBSOMOUSSE PLUS AE

Keep well away from all sources of ignition, heat and direct sunlight.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

## > Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

## **|>SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Occupational exposure limits :**

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

CAS	$v_{ME}-mg/m3$ :	VME-ppm :	vLE-mg/m3:	VLE-ppm :	Notes :	1
115-10-6	1920	1000	-	-	-	j
- ACGIH TLV (Am	erican Conferen	ce of Governme	ental Industrial I	Hygienists, Thre	eshold Limit Va	lues, 2010) :
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
75-28-5	1000 ppm					

74-98-6	1000 ppm				
26471-62-5	0.005 ppm	0.02 ppm	-	-	-
- Germany - AGW ()	BAuA - TRGS	900, 02/2022) :			
CAS	VME .	VME .	Engage	Notos	

CAS	VME :	VME :	Excess	Notes
115-10-6		1000 ppm		8(II)
		1900 mg/m3		
75-28-5		1000 ppm		4(II)
		2400 mg/m3		
74-98-6		1000 ppm		4(II)
		1800 mg/m3		

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
115-10-6	1000	1920			VLRI	
26471-62-5	0.01	0.08	0.02	0.16		62

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
115-10-6	400 ppm	500 ppm			
	766 mg/m3	958 mg/m3			
26471-62-5	0.02 mg/m3	0.07 mg/m3	-	-	-

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard ISO 16321.

## - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

- Type of gloves recommended :
- PVA (Polyvinyl alcohol)
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Recommended properties :

- Antistatic gloves in accordance with standard EN16350

## |> - Body protection

Suitable type of protective clothing :

Wear antistatic clothing made from heat resistant natural or synthetic fibres in accordance with standard EN1149.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemic	al properties
<b>Physical state</b> Physical state :	Gas. Spray.
Colour Unspecified	
<b>Odour</b> Odour threshold :	Not stated.
<pre> &gt; Freezing point     Freezing point / Freezing range :</pre>	Not stated.
> Boiling point or initial boiling point and boiling Boiling point/boiling range :	<b>g range</b> Not relevant.
<b>Flammability</b> Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit Explosive properties, lower explosivity limit (% : Explosive properties, upper explosivity limit (%	
:  > <b>Flash point</b> Flash point interval :	Not relevant.
Auto-ignition temperature Self-ignition temperature :	Not relevant.
<b>Decomposition temperature</b> Decomposition point/decomposition range :	Not relevant.
<b>pH</b> pH (aqueous solution) : pH :	Not stated. Not relevant.
Kinematic viscosity Viscosity :	Not stated.
> Solubility Water solubility : Fat solubility :	Insoluble. Not stated.
<b>Partition coefficient n-octanol/water (log value</b> Partition coefficient: n-octanol/water :	e) Not stated.
<pre>&gt; Vapour pressure Vapour pressure (50°C) :</pre>	Above 300 kPa (3 bar).
<pre>&gt; Density and/or relative density     Density :</pre>	< 1
<b>Relative vapour density</b> Vapour density :	Not stated.

> Particle characteristics The mixture does not contain nanoforms	S.	
> 9.2. Other information VOC (g/l) :	253.6	
<b>9.2.1. Information with regard to physic</b> No data available.	cal hazard classes	
> Aerosols		
Chemical combustion heat :	Not specified.	
Inflammation time :	Not specified.	
Deflagration density :	Not specified.	
Inflammation distance :	Not specified.	
Flame height :	Not specified.	
Flame duration :	Not specified.	
<b>9.2.2. Other safety characteristics</b>		

No data available.

## SECTION 10 : STABILITY AND REACTIVITY

## 10.1. Reactivity

Keep away from oxidising agents and strongly acidic or basic materials to avoid exothermic reactions.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

The mixture can also release hydrogen cyanide, amines and alcohols.

#### 10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid :

- heating
- heat

## **10.5. Incompatible materials**

No data available.

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

## SECTION 11 : TOXICOLOGICAL INFORMATION

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Splashes in the eyes may cause irritation and reversible damage

Based on isocyanate properties and considering the toxicological data of similar mixtures, this preparation may cause irritations and/or sensitisations of the respiratory system.

It may therefore bring about asthma, respiratory difficulties and angina pectoris.

Those susceptible may display asthmatic symptoms when exposed to atmospheres with an isocyanate concentration well below those of the VLE : exposure limits.

Repeated exposure may cause permanent respiratory problems.

## 11.1.1. Substances

No toxicological data available for the substances.

## 11.1.2. Mixture

## Acute toxicity :

Oral route :

No observed effect. LD50 15935.45 mg/kg

#### Respiratory or skin sensitisation :

Contains isocyanates. May cause an allergic reaction.

## 11.2. Information on other hazards

## SECTION 12 : ECOLOGICAL INFORMATION

#### 12.1. Toxicity

12.1.2. Mixtures

## 12.2. Persistence and degradability

#### 12.2.2. Mixtures

Biodegradation :

No data on decomposition is available, the mixture is not considered to decompose rapidly.

#### 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Endocrine disrupting properties

No data available.

## 12.7. Other adverse effects

No data available.

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **|>SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2023 [64]).

## 14.1. UN number or ID number

1950

## 14.2. UN proper shipping name

UN1950=AEROSOLS, flammable

## 14.3. Transport hazard class(es)



2.1

14.4. Packing group

145

## 14.5. Environmental hazards

-

## 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	2	5F	-	2.1	-	1 L	190 327 344	EO	2	D
							625			
										_
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregation	
	2	See SP63	-	See SP277	F-D. S-U	63 190 277 327 344 381 959	E0	- SW1 SW22	SG69	
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	2.1	-	-	203	75 kg	203	150 kg	A145 A167 A802	E0	
	2.1	-	-	Y203	30 kg G	-	-	A145 A167 A802	E0	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

## 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## **SECTION 15 : REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Classification and labelling information included in section 2:

#### The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

#### **Container information:**

No data available.

## Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

#### **Explosives precursors :**

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

#### **Particular provisions :**

No data available.

#### 15.2. Chemical safety assessment

No data available.

#### |>SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## > Wording of the phrases mentioned in section 3 :

H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H412	Harmful to aquatic life with long lasting effects.

#### Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

- REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.
- CMR: Carcinogenic, mutagenic or reprotoxic.

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

- TWA : Time Weighted Averages
- TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

VLRC : Indicative constraint value

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS02 : Flame

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.

> Modification compared to the previous version