LIMPIFER

Date: 10/04/2025 Page 1/15

Revision: N°6 (10/04/2025)



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: LIMPIFER UFI: WJ4N-16P6-Q60D-G0KW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Phosphating rust remover for temporary protection of metal.

1.3. Details of the supplier of the safety data sheet

Registered company name: GEB.

 $\label{eq:Address} Address: CS~62062.95972. ROISSY~CDG~CEDEX~.~France.$ Telephone: +33 1 48 17 99 99. Fax: +33 1 48 17 98 00.

geb@geb.fr www.geb.fr

1.4. Emergency telephone number: +33 1 45 42 59 59.

Association/Organisation: INRS.

Other emergency numbers

N/A

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin corrosion, Category 1 (Skin Corr. 1, H314).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Hazard pictograms:



GHS05

Signal Word:

DANGER

Product identifiers:

015-011-00-6 PHOSPHORIC ACID

 $Hazard\ statements:$

H314 Causes severe skin burns and eye damage.

Precautionary statements - General :

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/eye protection/face protection.

Version: N°1 (10/04/2025)

GEB

LIMPIFER

Precautionary statements - Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Date: 10/04/2025 Page 2/15

Revision: N°6 (10/04/2025)

Precautionary statements - Disposal:

P501 Discard content/container according to applicable regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1 % with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 015-011-00-6	GHS05	В	25 <= x % < 50
CAS: 7664-38-2	Dgr	[i]	
EC: 231-633-2	Skin Corr. 1B, H314		
REACH: 01-2119485924-24-xxxx			
PHOSPHORIC ACID			
CAS: 64-17-5	GHS07, GHS02	[i]	$0.1 \le x \% < 1$
EC: 200-578-6	Dgr		
REACH: 01-2119457610-43	Flam. Liq. 2, H225		
	Eye Irrit. 2, H319		
ETHANOL			
INDEX: 606-002-00-3	GHS02, GHS07	[i]	$0 \le x \% < 0.1$
CAS: 78-93-3	Dgr		
EC: 201-159-0	Flam. Liq. 2, H225		
REACH: 01-2119457290-43	Eye Irrit. 2, H319		
	STOT SE 3, H336		
BUTANONE	EUH066		
INDEX: 603-117-00-0	GHS02, GHS07	[i]	$0 \le x \% < 0.1$
CAS: 67-63-0	Dgr		
EC: 200-661-7	Flam. Liq. 2, H225		
REACH: 01-2119457558-25	Eye Irrit. 2, H319		
	STOT SE 3, H336		
PROPAN-2-OL			

Specific concentration limits:

Specific concentration limits:		
Identification	Specific concentration limits	ATE
INDEX: 015-011-00-6	Skin Corr. 1B: H314 C>= 25%	
CAS: 7664-38-2	Skin Irrit. 2: H315 10% <= C < 25%	
EC: 231-633-2	Eye Dam. 1: H318 C>= 25%	
REACH: 01-2119485924-24-xxxx	Eye Irrit. 2: H319 10% <= C < 25%	
PHOSPHORIC ACID		
CAS: 64-17-5		inhalation: ATE = 51 mg/l 4h
EC: 200-578-6		(vapours)
REACH: 01-2119457610-43		oral: ATE = 10470 mg/kg BW
ETHANOL		

Information on ingredients:

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

LIMPIFER

Date: 10/04/2025 Page 3/15

Revision: N°6 (10/04/2025)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin:

Remove any soiled or splashed clothing immediately.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

LIMPIFER

Date: 10/04/2025 Page 4/15

Revision: N°6 (10/04/2025)

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Neutralise with an alkaline decontaminant, such as an aqueous solution of sodium carbonate or similar.

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

Version: N°1 (10/04/2025)

GEB

LIMPIFER

Date: 10/04/2025 Page 5/15

Revision: N°6 (10/04/2025)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- European Union:

CAS	VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Notes:
7664-38-2	1	-	2	-	-
78-93-3	600	200	900	300	-

- UK:

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
7664-38-2	1 mg/m3	2 mg/m3			
64-17-5	1000 ppm				
	1920 mg/m3				
78-93-3	200 ppm	300 ppm		Sk. BMGV	
	600 mg/m3	899 mg/m3			
67-63-0	400 ppm	500 ppm			
	999 mg/m3	1250 mg/m3			

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

PROPAN-2-OL (CAS: 67-63-0)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 888 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 500 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 26 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 319 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 89 mg of substance/m3

BUTANONE (CAS: 78-93-3)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 1161 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 600 mg of substance/m3

Version: N°1 (10/04/2025)

GEB

LIMPIFER

Workers.

Date: 10/04/2025 Page 6/15 Revision: N°6 (10/04/2025)

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 31 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 412 mg/kg body weight/day

Exposure method: Inhalation

Potential health effects: Long term systemic effects.

DNEL: 106 mg of substance/m3

ETHANOL (CAS: 64-17-5)

Final use:

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 343 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 950 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Short term local effects.
DNEL: 1900 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 87 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 206 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 114 mg of substance/m3

Predicted no effect concentration (PNEC):

PROPAN-2-OL (CAS: 67-63-0)

Environmental compartment: Soil.
PNEC: 28 mg/kg

Environmental compartment: Fresh water. PNEC: 140.9 mg/l

Environmental compartment: Sea water. PNEC: 140.9 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 140.9 mg/l

Version: N°1 (10/04/2025)

GEB

LIMPIFER

Date: 10/04/2025 Page 7/15

Revision: N°6 (10/04/2025)

Environmental compartment: Fresh water sediment.

PNEC: 552 mg/kg

Environmental compartment: Marine sediment. PNEC: 552 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 2251 mg/l

Environmental compartment: Vermivore predators (oral).

PNEC: 160 mg/kg

BUTANONE (CAS: 78-93-3)

Environmental compartment: Soil.

PNEC: 22.5 mg/kg

Environmental compartment: Fresh water. PNEC : 55.8 mg/l

Environmental compartment: Sea water. PNEC: 55.8 µg/l

Environmental compartment: Intermittent waste water.

PNEC: 55.8 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 284.7 mg/kg

Environmental compartment: Marine sediment. PNEC: 284.7 µg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 709 mg/l

Environmental compartment: Vermivore predators (oral).

PNEC: 1000 mg/m3

ETHANOL (CAS: 64-17-5)

Environmental compartment: Soil.

PNEC: 0.63 mg/kg

Environmental compartment: Fresh water. PNEC: 0.96 mg/l

Environmental compartment: Sea water. PNEC: 0.79 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 2.75 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 3.6 mg/kg

Environmental compartment: Marine sediment.

Version: N°1 (10/04/2025)

GEB

LIMPIFER

Date: 10/04/2025 Page 8/15

Revision: N°6 (10/04/2025)

PNEC: 2.9 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 580 mg/l

Environmental compartment: Vermivore predators (oral).

PNEC: 0.72 mg/kg

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard ISO 16321.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

Thk: 0.075 mm

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Wear suitable protective clothing, in particular overalls and boots. These items must be kept in good condition and cleaned after use

In the event of minor spatter, wear protective boots or half-boots against chemical risks in accordance with standard EN13832-2.

In the event of prolonged contact, wear boots or half-boots with liquid-chemical-resistant and waterproof soles and uppers in accordance with standard EN13832-3.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version: N°1 (10/04/2025)

GEB

LIMPIFER

Date: 10/04/2025 Page 9/15

Revision: N°6 (10/04/2025)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state: Viscous liquid.

Colour

Unspecified

Odour

Odour threshold: Not stated.

Melting point

Melting point/melting range: Not relevant.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not relevant.

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

:

Explosive properties, upper explosivity limit (%) Not stated.

:

Flash point

Flash point interval: Not relevant.

Auto-ignition temperature

Self-ignition temperature : Not relevant.

Decomposition temperature

Decomposition point/decomposition range: Not relevant.

pН

pH (aqueous solution): Not stated. pH: 1.50 .

Strongly acidic.

Kinematic viscosity

Viscosity: Not stated.

Solubility

Water solubility: Insoluble. Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 1.24

Relative vapour density

Vapour density: Not stated.

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

VOC (g/l): 10.17

LIMPIFER

Date: 10/04/2025 Page 10/15

Revision: N°6 (10/04/2025)

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Keep away from:

- bases
- oxidising agents
- reducing agents

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1. Substances

a) Acute toxicity:

ETHANOL (CAS: 64-17-5)

LD50 = 10470 mg/kg body weightOral route:

OECD Guideline 401 (Acute Oral Toxicity)

Dermal route: LD50 > 2000 mg/kg body weight

Species: Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (Vapours): LC50 = 51 mg/l

Species: Rat

OECD Guideline 403 (Acute Inhalation Toxicity)

Duration of exposure: 4 h

b) Skin corrosion/skin irritation:

ETHANOL (CAS: 64-17-5)

Species: Rabbit

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Species: Rabbit

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Version: N°1 (10/04/2025)

GEB

LIMPIFER

c) Serious damage to eyes/eye irritation:

ETHANOL (CAS: 64-17-5)

Species: Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Date: 10/04/2025 Page 11/15 Revision: N°6 (10/04/2025)

Species: Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Species: Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Species: Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

d) Respiratory or skin sensitisation:

ETHANOL (CAS: 64-17-5)

Local lymph node stimulation test : Non-Sensitiser.

Species: Mouse

OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)

Guinea Pig Maximisation Test (GMPT): Non-sensitiser.

Species: Others

e) Germ cell mutagenicity:

ETHANOL (CAS: 64-17-5)

No mutagenic effect.

OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

f) Carcinogenicity:

No data available.

g) Reproductive toxicant:

ETHANOL (CAS: 64-17-5)

Study on fertility: Species: Rat

OECD Guideline 414 (Prenatal Developmental Toxicity Study)

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

ETHANOL (CAS: 64-17-5)

Inhalation route : C > 20 mg/litre/6h/day

Species : Rat

Duration of exposure : 90 days

j) Aspiration hazard:

No data available.

11.1.2. Mixture

11.1.2.1 Information on hazard classes

a) Acute toxicity:

Oral route : No data available.

No data available.

Dermal route:

LIMPIFER

Date: 10/04/2025 Page 12/15

Revision: N°6 (10/04/2025)

No data available.

Inhalation route (Dusts/mist):

b) Skin corrosion/skin irritation:

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure for up to three minutes.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.

- Classification based on extreme pH and an acid or alkaline reserve

Corrosive classification is based on an extreme pH value.

c) Serious damage to eyes/eye irritation:

No data available.

d) Respiratory or skin sensitisation:

No data available.

e) Germ cell mutagenicity:

No data available.

f) Carcinogenicity:

No data available.

g) Reproductive toxicant:

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard:

No data available.

11.1.2.2 Other information

Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 67-63-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

ETHANOL (CAS: 64-17-5)

Fish toxicity: LC50 = 14200 mg/l

Species : Pimephales promelas Duration of exposure : 96 h

Crustacean toxicity: EC50 = 5012 mg/l

Species : Daphnia magna Duration of exposure : 48 h

NOEC = 9.6 mg/l Species : Daphnia magna Duration of exposure : 14 days

Algae toxicity: ECr50 = 275 mg/l

Version: N°1 (10/04/2025)

GEB

LIMPIFER

Duration of exposure: 72 h

EC10 mg/l

Duration of exposure: 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

ETHANOL (CAS: 64-17-5) Biodegradability:

no degradability data is available, the substance is considered as not degrading quickly.

Date: 10/04/2025 Page 13/15

Revision: N°6 (10/04/2025)

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

12.7. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2024 [65]).

14.1. UN number or ID number

1805

14.2. UN proper shipping name

UN1805=PHOSPHORIC ACID, SOLUTION

LIMPIFER

Date: 10/04/2025 Page 14/15

Revision: N°6 (10/04/2025)

14.3. Transport hazard class(es)

- Classification:



Q

14.4. Packing group

ADR/RID Class

Ш

14.5. Environmental hazards

14.6. Special precautions for user

Code

	8	C1	III	8	80	5 L	-	E1	3	E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation	
								Handling		
	8	-	III	5 L	F-A. S-B	223	E1	Category A	SGG1 SG36	
	- 1	1							SC40	

LO

Provis.

EO

Cat.

Tunnel

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	8	-	III	852	5 L	856	60 L	A3 A803	E1
	8	-	III	Y841	1 L	-	-	A3 A803	E1

Ident.

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

Pack gr. Label

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/2564. (ATP 22)

Container information:

Packaging to be fitted with child-resistant fastenings (see EC Regulation No. 1272/2008, Annex II, Part 3).

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

Particular provisions:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006: https://echa.europa.eu/fr/authorisation-list.

$Substances\ that\ deplete\ the\ ozone\ layer\ (EC\ Regulation\ No.\ 1005/2009,\ Montreal\ Protocol):$

The mixture does not contain any substance posing a risk to the ozone layer.

Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

Version: N°1 (10/04/2025)

GEB

Revision : N°6 (10/04/2025)

Date: 10/04/2025 Page 15/15

Explosives precursors:

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

LIMPIFER

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.
H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50: The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

UFI: Unique formulation identifier.

STEL: Short-term exposure limit

TWA: Time Weighted Averages

TLV: Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

GHS05: Corrosion

IATA: International Air Transport Association.

 $IMDG: International\ Maritime\ Dangerous\ Goods.$

ICAO : International Civil Aviation Organisation

PBT: Persistent, bioaccumulable and toxic.

PIC: Prior Informed Consent.

POP: Persistent Organic Pollutant.

RID: Regulations concerning the International carriage of Dangerous goods by rail.

SVHC: Substances of very high concern.

vPvB : Very persistent, very bioaccumulable.

WGK: Wassergefahrdungsklasse (Water Hazard Class).