Revision: N°4 (06/03/2025)

Date: 20/05/2025 Page 1/10



SAFETY DATA SHEET

SILICONE TOUS SUPPORTS GRIS CLAIR

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: SILICONE TOUS SUPPORTS GRIS CLAIR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Sealant.

1.3. Details of the supplier of the safety data sheet

Registered company name: GEB.

Address: CS 62062.95972.ROISSY CDG CEDEX . France. Telephone: +33 1 48 17 99 99. Fax: +33 1 48 17 98 00.

geb@geb.fr www.geb.fr

1.4. Emergency telephone number: +33 1 45 42 59 59.

Association/Organisation: INRS.

Other emergency numbers

N/A

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Additional labeling:

EUH208 Contains 3-AMINOPROPYLTRIETHOXYSILANE. May produce an allergic reaction.

 $Precautionary\ statements\ -\ General\ :$

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Contains a biocide (preservative)

 $\hbox{2-N-BUTYL-BENZO[D]} ISOTHIAZOL-3-ONE\ 606-079-00-3$

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) \geq = 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

The product hydrolyzes under the formation of methanol (CAS 64-17-5). Ethanol is classified for physical hazards and health nuisances. The rate of hydrolysis, and therefore the relevance of the potential hazard of the product, strongly depend on the specific conditions.

Version: N°4 (20/05/2025)

GEB

Revision : N°4 (06/03/2025)

Date: 20/05/2025 Page 2/10

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	Classification (EC) 1272/2008	Note	%
CAS: 128446-60-6	GHS05, GHS02		2.5 <= x % < 10
EC: 603-274-5	Dgr		
	Flam. Liq. 3, H226		
SILSESQUIOXANES, 3-AMINOPROPYL	Skin Irrit. 2, H315		
METHYL, ETHOXY TERMINATED	Eye Dam. 1, H318		
CAS: 64742-46-7	GHS08		2.5 <= x % < 10
EC: 265-148-2	Dgr		
REACH: 01-2119552497-29	Asp. Tox. 1, H304		
DISTILLATES (PETROLEUM),			
HYDROTREATED MIDDLE			
CAS: 919-30-2	GHS07, GHS05		0.1 <= x % < 1
EC: 213-048-4	Dgr		
REACH: 01-2119480479-24	Acute Tox. 4, H302		
	Skin Corr. 1A, H314		
3-AMINOPROPYLTRIETHOXYSILANE	Skin Sens. 1, H317		
	Eye Dam. 1, H318		
INDEX: 022-006-00-2	GHS08	[i]	$0.1 \le x \% < 1$
CAS: 13463-67-7	Wng	[10]	
EC: 236-675-5	Carc. 2, H351		
TITANIUM DIOXIDE [IN POWDER FORM			
CONTAINING 1 % OR MORE OF PARTICLES			
WITH AERODYNAMIC DIAMETER <= 10			
μM]			
INDEX: 603-002-00-5	GHS02	[i]	$0 \le x \% < 0.1$
CAS: 64-17-5	Dgr		
EC: 200-578-6	Flam. Liq. 2, H225		
ETHANOL			

SILICONE TOUS SUPPORTS GRIS CLAIR

Information on ingredients:

(Full text of H-phrases: see section 16)

[i] Substance for which maximum workplace exposure limits are available.

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter $\leq 10 \, \mu m$.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Revision : N°4 (06/03/2025)

Date: 20/05/2025 Page 3/10

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

SILICONE TOUS SUPPORTS GRIS CLAIR

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Revision : N°4 (06/03/2025)

Date: 20/05/2025 Page 4/10

Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

SILICONE TOUS SUPPORTS GRIS CLAIR

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- UK :

CII.					
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	4 mg/m3				
64-17-5	1000 ppm				
	1920 mg/m3				

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard ISO 16321.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Recommended properties:

Thk: 0.075 mm

Version: N°4 (20/05/2025)

GEB

SILICONE TOUS SUPPORTS GRIS CLAIR

Date: 20/05/2025 Page 5/10 Revision: N°4 (06/03/2025)

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state: Paste.

Colour

Unspecified

Odour

Odour threshold: Not stated.

Melting point

Melting point/melting range: Not relevant.

Freezing point

 $Freezing\ point\ /\ Freezing\ range: \\ Not\ stated.$

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not relevant.

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

:

Explosive properties, upper explosivity limit (%) Not stated.

.

Flash point

Flash point interval: Not relevant.

Auto-ignition temperature

Self-ignition temperature: Not relevant.

Decomposition temperature

Decomposition point/decomposition range: 300 °C.

pН

pH (aqueous solution): Not stated. pH: Not relevant.

Kinematic viscosity

Viscosity: >1000000 mPa.s 23°C

Solubility

Water solubility: Insoluble.
Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 1.02 à 23°C

Relative vapour density

Vapour density: Not stated.

Particle characteristics

The mixture does not contain nanoforms.

SILICONE TOUS SUPPORTS GRIS CLAIR

Date: 20/05/2025 Page 6/10 Revision: N°4 (06/03/2025)

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1. Substances

a) Acute toxicity:

DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE (CAS: 64742-46-7)

Inhalation route (Dusts/mist) : LC50 > 5266 mg/l

Species: Rat

b) Skin corrosion/skin irritation:

No data available.

c) Serious damage to eyes/eye irritation:

No data available.

d) Respiratory or skin sensitisation:

No data available.

e) Germ cell mutagenicity:

No data available.

f) Carcinogenicity:

No data available.

g) Reproductive toxicant:

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard:

No data available.

Version: N°4 (20/05/2025)

GEB

Revision : N°4 (06/03/2025)

SILICONE TOUS SUPPORTS GRIS CLAIR

Date: 20/05/2025 Page 7/10

11.1.2. Mixture

11.1.2.1 Information on hazard classes

a) Acute toxicity:

Oral route : No data available.

No data available.

Dermal route:

b) Skin corrosion/skin irritation:

No data available.

c) Serious damage to eyes/eye irritation:

Splashes in the eyes may cause irritation and reversible damage

No observed effect.

Corneal haze : Average score < 1
Species : Rabbit

d) Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

e) Germ cell mutagenicity:

No data available.

f) Carcinogenicity:

No data available.

g) Reproductive toxicant:

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard :

No data available.

11.1.2.2 Other information

Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

CAS 13463-67-7: IARC Group 2B: The agent is possibly carcinogenic to humans.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE (CAS: 64742-46-7)

Fish toxicity : LC50 > 1028 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 3193 mg/l

Species : Others

Duration of exposure: 48 h

Aquatic plant toxicity: ECr50 > 10000 mg/l

Species: Others

Duration of exposure: 72 h

Revision: N°4 (06/03/2025)

Date: 20/05/2025 Page 8/10

SILICONE TOUS SUPPORTS GRIS CLAIR

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE (CAS: 64742-46-7) Biodegradability: Rapidly degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

12.7. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

Revision : N°4 (06/03/2025)

Date: 20/05/2025 Page 9/10

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/2564. (ATP 22)

Container information:

No data available.

Particular provisions:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

SILICONE TOUS SUPPORTS GRIS CLAIR

Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006: https://echa.europa.eu/fr/authorisation-list.

Substances that deplete the ozone layer (EC Regulation No. 1005/2009, Montreal Protocol):

The mixture does not contain any substance posing a risk to the ozone layer.

Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

Explosives precursors:

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H351	Suspected of causing cancer.

Abbreviations and acronyms:

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50: The effective concentration of substance that causes 50% of the maximum response.

Revision: N°4 (06/03/2025)

Date: 20/05/2025 Page 10/10

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

SILICONE TOUS SUPPORTS GRIS CLAIR

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

STEL: Short-term exposure limit TWA: Time Weighted Averages

TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods.

ICAO: International Civil Aviation Organisation

PBT: Persistent, bioaccumulable and toxic.

PIC: Prior Informed Consent.

POP: Persistent Organic Pollutant.

RID: Regulations concerning the International carriage of Dangerous goods by rail.

SVHC : Substances of very high concern. vPvB : Very persistent, very bioaccumulable.

 $WGK: Wasserge fahrdungsklasse \ (Water\ Hazard\ Class).$